MARINE RESEARCH CENTRE

The potential of using algae as feedstock for biofuel, a Nordic perspective

Kristian Spilling, Jukka Seppälä, Kaisa Manninen, Timo Tamminen

Finnish Environment Institute SYKE, Marine Research Centre,

SYKE

MARINE RESEARCH CENTRE

Large-scale cultivation of microalgae in Northern Europe

Commercial algae cultivation for biofuels and other low-cost products is not yet profitable.

Why to introduce a Nordic perspective?

Photos: Jukka Seppälä

SYKE

MARINE RESEARCH CENTRE

Regional challenges for large-scale cultivation of microalgae

- **Climatic**
  - Sunlight
  - Temperature
- **Infrastructure**
  - Nutrients & CO_2
  - Land use
  - Water use
  - Downstream processing
  - Markets
- **Societal**
  - Education
  - Legislation



Figure 3. Algal biofuels production chain. Improved strains, as well as downstream efficiency, are integral aspects of the algae biofuel production strategy.

Source: Hannon etal. Biofuels (2010) 1(5), 763–784

SYKE

MARINE RESEARCH CENTRE

Is there enough light?

Energy from the Sun (kWh m^{-2} d^{-1})



Source: eosweb.larc.nasa.gov

SYKE

MARINE RESEARCH CENTRE

Is there enough light?

Energy from the Sun (Wh m^{-2} d^{-1})







Data from: re.jrc.ec.europa.eu/pvgis

SYKE

What happens to the light energy during photosynthesis?



Theoretical maximum photosynthetic yield 11-12%, but in reality 1-5% obtained.

Not all light absorbed can drive photosynthesis

Need to maintain metabolism during darkness & repair of components

MARINE RESEARCH CENTRE

SYKE


Max eff.
Reduced efficiency
Photoinhibition
Photosynthetic production (O_2 or C)
Irradiance (W m^{-2} or photons m^{-2} s^{-1})

Effect of irradiance on cultivation of microalgae

Projected algae production in Helsinki
(assuming caloric value for algae 25 kJ g^{-1})



Projected algae oil production (assuming 30% oil content and 80% conversion from oil to biodiesel)



MARINE RESEARCH CENTRE

SYKE

MARINE RESEARCH CENTRE

What about temperature?



Sources: *Seppälä et al. In prep. Virkkala, In prep*

Photo: A. Gruber, Universität Konstanz



SYKE

MARINE RESEARCH CENTRE

SYKE

Nutrient requirements

	Exponential growth	N-limited growth
N content	8%	4%
P content	1%	0.5%
C content	45%	52%
Lipid content	13%	28%

(data compiled from Schwenk et al 2013)



MARINE RESEARCH CENTRE

SYKE

Suomenoja wastewater treatment plant

MARINE RESEARCH CENTRE

How much algae oil can be produced with waste waters

Suomenoja, a municipal waste water treatment plant in Espoo, Finland, serves 310000 inhabitants, 100 000 m^3 d^{-1}

Amount of nitrogen	**4850 kg /d**
Amount of phosphorus	**700 kg / d**
Production of lipids	**~ 30000 L / d**
CO2 consumption / area	**75 m^2 / t**
Area required (at production rate 20 g dw $m^{-2}d^{-1}$)	**~600 ha**
Area / person	**~20 m^2**
Production / person	**~0.1L oil d^{-1}**

In Finland, **2%** of all liquid transport fuel need may be produced if ALL nutrients in municipal waste waters are used in algae cultivation. However, nutrients may be recycled, as they are not in the oil fraction.

The biggest revenue may come through reduction of nutrient loads to environment.

SYKE

MARINE RESEARCH CENTRE

LCA of microalgae cultivation – System boundaries



SYKE

MARINE RESEARCH CENTRE

Key issues for the road ahead

Sustaiability criteria

Is Algae Worse than Corn for Biofuels?
A new analysis suggests so because of the need for copious fertilizer
Scientific American 22.1.2010

Infrastructure

What is needed to produce biofuel from algae
Water, nutrients, harvesting technology, downstream processing, refining

Production yield

Theoretical estimates can never be reached, but algae has the potential to reach higher productivity then traditional terrestrial crops

SYKE

MARINE RESEARCH CENTRE

SYKE

Conclusion

- We have:
  1) Nutrients in waste water and a lot of CO_2
  2) Water
  3) R&D facilities and knowhow
  4) Downstream processes and refining
  5) Land
- Limitation:
  1) Light during winter
- **In the end, getting lower production cost than the product value is the key for commercialization, not getting the highest absolute yield**